

**VOVOX® Pro Audio**
**Stand 01-2022**

Item	Series	Type	Length (cm/ft)		Plug Input	Plug Output	SRP/UVF EUR excl. VAT/MwSt.	SRP/UVF EUR incl. 19% VAT/MwSt.
<b>VOVOX Pro Audio Analog Cables</b>								
<b>Balanced Cables, Non-Shielded</b>								
<b>VOVOX link direct S (balanced, non-shielded)</b>								
6.0901	VOVOX link	direct S	100 cm	3.3 ft	XLRf	XLRm	59	70
6.0913	VOVOX link	direct S	100 cm	3.3 ft	TRS	XLRm	59	70
6.0914	VOVOX link	direct S	100 cm	3.3 ft	XLRf	TRS	59	70
6.0915	VOVOX link	direct S	100 cm	3.3 ft	TRS	TRS	59	70
6.0909	VOVOX link	direct S	200 cm	6.6 ft	XLRf	XLRm	75	89
6.0910	VOVOX link	direct S	200 cm	6.6 ft	TRS	XLRm	75	89
6.0916	VOVOX link	direct S	200 cm	6.6 ft	XLRf	TRS	75	89
6.0917	VOVOX link	direct S	200 cm	6.6 ft	TRS	TRS	75	89
6.0902	VOVOX link	direct S	350 cm	11.5 ft	XLRf	XLRm	99	118
6.0911	VOVOX link	direct S	350 cm	11.5 ft	TRS	XLRm	99	118
6.0918	VOVOX link	direct S	350 cm	11.5 ft	XLRf	TRS	99	118
6.0919	VOVOX link	direct S	350 cm	11.5 ft	TRS	TRS	99	118
6.0903	VOVOX link	direct S	500 cm	16.4 ft	XLRf	XLRm	119	142
6.0912	VOVOX link	direct S	500 cm	16.4 ft	TRS	XLRm	119	142
6.0904	VOVOX link	direct S	750 cm	24.6 ft	XLRf	XLRm	159	189
6.0905	VOVOX link	direct S	1000 cm	32.8 ft	XLRf	XLRm	199	237
6.0906	VOVOX link	direct S	2x 500 cm *	2x 16.4 ft *	XLRf	XLRm	245	292
6.0907	VOVOX link	direct S	2x 750 cm *	2x 24.6 ft *	XLRf	XLRm	325	387
6.0908	VOVOX link	direct S	2x 1000 cm *	2x 32.8 ft *	XLRf	XLRm	399	475
<b>VOVOX sonorus direct S (balanced, non-shielded)</b>								
6.3301	VOVOX sonorus	direct S	100 cm	3.3 ft	XLRf	XLRm	75	89
6.3313	VOVOX sonorus	direct S	100 cm	3.3 ft	TRS	XLRm	75	89
6.3314	VOVOX sonorus	direct S	100 cm	3.3 ft	XLRf	TRS	75	89
6.3315	VOVOX sonorus	direct S	100 cm	3.3 ft	TRS	TRS	75	89
6.3309	VOVOX sonorus	direct S	200 cm	6.6 ft	XLRf	XLRm	99	118
6.3310	VOVOX sonorus	direct S	200 cm	6.6 ft	TRS	XLRm	99	118
6.3316	VOVOX sonorus	direct S	200 cm	6.6 ft	XLRf	TRS	99	118
6.3317	VOVOX sonorus	direct S	200 cm	6.6 ft	TRS	TRS	99	118
6.3302	VOVOX sonorus	direct S	350 cm	11.5 ft	XLRf	XLRm	135	161
6.3311	VOVOX sonorus	direct S	350 cm	11.5 ft	TRS	XLRm	135	161
6.3318	VOVOX sonorus	direct S	350 cm	11.5 ft	XLRf	TRS	135	161
6.3319	VOVOX sonorus	direct S	350 cm	11.5 ft	TRS	TRS	135	161
6.3303	VOVOX sonorus	direct S	500 cm	16.4 ft	XLRf	XLRm	169	201
6.3312	VOVOX sonorus	direct S	500 cm	16.4 ft	TRS	XLRm	169	201
6.3304	VOVOX sonorus	direct S	750 cm	24.6 ft	XLRf	XLRm	229	273
6.3305	VOVOX sonorus	direct S	1000 cm	32.8 ft	XLRf	XLRm	289	344
6.3320	VOVOX sonorus	direct S	2x 100 cm *	2x 3.3 ft *	XLRf	XLRm	155	184
6.3321	VOVOX sonorus	direct S	2x 150 cm *	2x 4.9 ft *	XLRf	XLRm	179	213
6.3306	VOVOX sonorus	direct S	2x 500 cm *	2x 16.4 ft *	XLRf	XLRm	345	411
6.3307	VOVOX sonorus	direct S	2x 750 cm *	2x 24.6 ft *	XLRf	XLRm	465	553
6.3308	VOVOX sonorus	direct S	2x 1000 cm *	2x 32.8 ft *	XLRf	XLRm	585	696

Fortsetzung folgt auf Seite 2

## VOVOX® Pro Audio

Stand 01-2022

Item	Series	Type	Length (cm/ft)		Plug Input	Plug Output	SRP/UVF EUR excl. VAT/MwSt.	SRP/UVF EUR incl. 19% VAT/MwSt.
<b>VOVOX Pro Audio Analog Cables</b>								
<b>Balanced Cables, Non-Shielded</b>								
<b>VOVOX excelsus direct S (balanced, non-shielded)</b>								
6.8101	VOVOX excelsus	direct S	100 cm	3.3 ft	XLRf	XLRm	225	268
6.8113	VOVOX excelsus	direct S	100 cm	3.3 ft	TRS	XLRm	225	268
6.8114	VOVOX excelsus	direct S	100 cm	3.3 ft	XLRf	TRS	225	268
6.8115	VOVOX excelsus	direct S	100 cm	3.3 ft	TRS	TRS	225	268
6.8109	VOVOX excelsus	direct S	200 cm	6.6 ft	XLRf	XLRm	309	368
6.8110	VOVOX excelsus	direct S	200 cm	6.6 ft	TRS	XLRm	309	368
6.8116	VOVOX excelsus	direct S	200 cm	6.6 ft	XLRf	TRS	309	368
6.8117	VOVOX excelsus	direct S	200 cm	6.6 ft	TRS	TRS	309	368
6.8102	VOVOX excelsus	direct S	350 cm	11.5 ft	XLRf	XLRm	435	518
6.8111	VOVOX excelsus	direct S	350 cm	11.5 ft	TRS	XLRm	435	518
6.8118	VOVOX excelsus	direct S	350 cm	11.5 ft	XLRf	TRS	435	518
6.8119	VOVOX excelsus	direct S	350 cm	11.5 ft	TRS	TRS	435	518
6.8103	VOVOX excelsus	direct S	500 cm	16.4 ft	XLRf	XLRm	559	665
6.8112	VOVOX excelsus	direct S	500 cm	16.4 ft	TRS	XLRm	559	665
6.8120	VOVOX excelsus	direct S	2x 100 cm *	2x 3.3 ft *	XLRf	XLRm	455	541
6.8121	VOVOX excelsus	direct S	2x 150 cm *	2x 4.9 ft *	XLRf	XLRm	539	641
<b>Balanced Cables, Shielded</b>								
<b>VOVOX link protect S (balanced, shielded)</b>								
6.1001	VOVOX link	protect S	100 cm	3.3 ft	XLRf	XLRm	89	106
6.1013	VOVOX link	protect S	100 cm	3.3 ft	TRS	XLRm	89	106
6.1014	VOVOX link	protect S	100 cm	3.3 ft	XLRf	TRS	89	106
6.1015	VOVOX link	protect S	100 cm	3.3 ft	TRS	TRS	89	106
6.1009	VOVOX link	protect S	200 cm	6.6 ft	XLRf	XLRm	109	130
6.1010	VOVOX link	protect S	200 cm	6.6 ft	TRS	XLRm	109	130
6.1016	VOVOX link	protect S	200 cm	6.6 ft	XLRf	TRS	109	130
6.1017	VOVOX link	protect S	200 cm	6.6 ft	TRS	TRS	109	130
6.1002	VOVOX link	protect S	350 cm	11.5 ft	XLRf	XLRm	145	173
6.1011	VOVOX link	protect S	350 cm	11.5 ft	TRS	XLRm	145	173
6.1018	VOVOX link	protect S	350 cm	11.5 ft	XLRf	TRS	145	173
6.1019	VOVOX link	protect S	350 cm	11.5 ft	TRS	TRS	145	173
6.1003	VOVOX link	protect S	500 cm	16.4 ft	XLRf	XLRm	179	213
6.1012	VOVOX link	protect S	500 cm	16.4 ft	TRS	XLRm	179	213
6.1004	VOVOX link	protect S	750 cm	24.6 ft	XLRf	XLRm	235	280
6.1005	VOVOX link	protect S	1000 cm	32.8 ft	XLRf	XLRm	295	351
6.1006	VOVOX link	protect S	2x 500 cm *	2x 16.4 ft *	XLRf	XLRm	359	427
6.1007	VOVOX link	protect S	2x 750 cm *	2x 24.6 ft *	XLRf	XLRm	475	565
6.1008	VOVOX link	protect S	2x 1000 cm *	2x 32.8 ft *	XLRf	XLRm	589	701

Fortsetzung folgt auf Seite 3

**VOVOX® Pro Audio**
**Stand 01-2022**

Item	Series	Type	Length (cm/ft)		Plug Input	Plug Output	SRP/UVF EUR excl. VAT/MwSt.	SRP/UVF EUR incl. 19% VAT/MwSt.
<b>VOVOX Pro Audio Analog Cables</b>								
<b>Multipair Cables</b>								
<b>VOVOX sonorus muco (balanced, non-shielded)</b>								
6.3401	VOVOX sonorus	muco	100 cm	3.3 ft	DB25	DB25	509	606
6.3402	VOVOX sonorus	muco	100 cm	3.3 ft	DB25	8x XLRm	565	672
6.3414	VOVOX sonorus	muco	100 cm	3.3 ft	DB25	8xTRS	565	672
6.3403	VOVOX sonorus	muco	100 cm	3.3 ft	8x XLRf	DB25	565	672
6.3415	VOVOX sonorus	muco	100 cm	3.3 ft	8 x TRS	DB25	565	672
6.3405	VOVOX sonorus	muco	200 cm	6.6 ft	DB25	DB25	699	832
6.3406	VOVOX sonorus	muco	200 cm	6.6 ft	DB25	8x XLRm	755	898
6.3416	VOVOX sonorus	muco	200 cm	6.6 ft	DB25	8xTRS	755	898
6.3407	VOVOX sonorus	muco	200 cm	6.6 ft	8x XLRf	DB25	755	898
6.3417	VOVOX sonorus	muco	200 cm	6.6 ft	8 x TRS	DB25	755	898
6.3409	VOVOX sonorus	muco	300 cm	9.9 ft	DB25	DB25	889	1058
6.3410	VOVOX sonorus	muco	300 cm	9.9 ft	DB25	8x XLRm	945	1125
6.3418	VOVOX sonorus	muco	300 cm	9.9 ft	DB25	8xTRS	945	1125
6.3411	VOVOX sonorus	muco	300 cm	9.9 ft	8x XLRf	DB25	945	1125
6.3419	VOVOX sonorus	muco	300 cm	9.9 ft	8 x TRS	DB25	945	1125
6.3413	VOVOX sonorus	muco	300 cm	9.9 ft	8x XLRf	8x XLRm	975	1160
<b>Interconnect Cables, Non-Shielded</b>								
<b>VOVOX sonorus direct A (unbalanced, non-shielded)</b>								
6.7802	VOVOX sonorus	direct A	2x 100 cm *	2x 3.3 ft *	RCA	RCA	315	375
6.7804	VOVOX sonorus	direct A	2x 150 cm *	2x 4.9 ft *	RCA	RCA	339	403
<b>VOVOX excelsus direct A (unbalanced, non-shielded)</b>								
6.8002	VOVOX excelsus	direct A	2x 100 cm *	2x 3.3 ft *	RCA	RCA	539	641
6.8004	VOVOX excelsus	direct A	2x 150 cm *	2x 4.9 ft *	RCA	RCA	619	737
<b>Interconnect Cables, Shielded</b>								
<b>VOVOX link protect A (unbalanced, shielded)</b>								
6.0710	VOVOX link	protect A	2x 100 cm	2x 3.3 ft	RCA	RCA	189	225
6.0711	VOVOX link	protect A	2x 200 cm	2x 6.6 ft	RCA	RCA	225	268
6.0712	VOVOX link	protect A	2x 350 cm	2x 11.5 ft	RCA	RCA	269	320
<b>VOVOX sonorus protect A (unbalanced, shielded)</b>								
6.3214	VOVOX sonorus	protect A	2x 100 cm *	2x 3.3 ft *	RCA	RCA	315	375
6.3216	VOVOX sonorus	protect A	2x 150 cm *	2x 4.9 ft *	RCA	RCA	339	403

Fortsetzung folgt auf Seite 4

**VOVOX® Pro Audio**
**Stand 01-2022**

Item	Series	Type	Length (cm/ft)	Plug Input	Plug Output	SRP/UVF EUR excl. VAT/MwSt.	SRP/UVF EUR incl. 19% VAT/MwSt.	
<b>VOVOX Pro Audio Digital Cables</b>								
<b>S/P-DIF Cables</b>								
<b>VOVOX link protect AD (unbalanced, shielded, S/P-DIF 75 Ohm)</b>								
6.2101	VOVOX link	protect AD	100 cm	3.3 ft	RCA	RCA	<b>109</b>	<b>130</b>
6.2102	VOVOX link	protect AD	200 cm	6.6 ft	RCA	RCA	<b>135</b>	<b>161</b>
6.2103	VOVOX link	protect AD	350 cm	11.5 ft	RCA	RCA	<b>169</b>	<b>201</b>
6.2104	VOVOX link	protect AD	500 cm	16.4 ft	RCA	RCA	<b>205</b>	<b>244</b>
6.2105	VOVOX link	protect AD	750 cm	24.6 ft	RCA	RCA	<b>265</b>	<b>315</b>
6.2106	VOVOX link	protect AD	1000 cm	32.8 ft	RCA	RCA	<b>325</b>	<b>387</b>
<b>VOVOX sonorus direct A (unbalanced, non-shielded)</b>								
6.7801	VOVOX sonorus	direct A	100 cm	3.3 ft	RCA	RCA	<b>185</b>	<b>220</b>
6.7803	VOVOX sonorus	direct A	150 cm	4.9 ft	RCA	RCA	<b>199</b>	<b>237</b>
<b>VOVOX excelsus direct A (unbalanced, non-shielded)</b>								
6.8001	VOVOX excelsus	direct A	100 cm	3.3 ft	RCA	RCA	<b>275</b>	<b>327</b>
6.8003	VOVOX excelsus	direct A	150 cm	4.9 ft	RCA	RCA	<b>315</b>	<b>375</b>
<b>Wordclock Cables</b>								
<b>VOVOX link protect AD (unbalanced, shielded, Coaxial 75 Ohm)</b>								
6.2107	VOVOX link	protect AD	100 cm	3.3 ft	BNC	BNC	<b>109</b>	<b>130</b>
6.2108	VOVOX link	protect AD	200 cm	6.6 ft	BNC	BNC	<b>135</b>	<b>161</b>
6.2109	VOVOX link	protect AD	350 cm	11.5 ft	BNC	BNC	<b>169</b>	<b>201</b>
<b>AES/EBU Cables</b>								
<b>VOVOX link direct SD (balanced, non-shielded, AES/EBU 110 Ohm)</b>								
6.2001	VOVOX link	direct SD	100 cm	3.3 ft	XLRf	XLRm	<b>59</b>	<b>70</b>
6.2002	VOVOX link	direct SD	200 cm	6.6 ft	XLRf	XLRm	<b>75</b>	<b>89</b>
6.2003	VOVOX link	direct SD	350 cm	11.5 ft	XLRf	XLRm	<b>99</b>	<b>118</b>
6.2004	VOVOX link	direct SD	500 cm	16.4 ft	XLRf	XLRm	<b>125</b>	<b>149</b>
6.2005	VOVOX link	direct SD	750 cm	24.6 ft	XLRf	XLRm	<b>159</b>	<b>189</b>
6.2006	VOVOX link	direct SD	1000 cm	32.8 ft	XLRf	XLRm	<b>199</b>	<b>237</b>
<b>Multipar AES/EBU Cables</b>								
<b>VOVOX sonorus muco (balanced, non-shielded)</b>								
6.3420	VOVOX sonorus	muco	100 cm **	3.3 ft **	DB25	DB25	<b>535</b>	<b>637</b>
6.3421	VOVOX sonorus	muco	100 cm **	3.3 ft **	DB25	4xXLRf/4xXLRm	<b>589</b>	<b>701</b>
6.3422	VOVOX sonorus	muco	200 cm **	6.6 ft **	DB25	DB25	<b>725</b>	<b>863</b>
6.3423	VOVOX sonorus	muco	200 cm **	6.6 ft **	DB25	4xXLRf/4xXLRm	<b>779</b>	<b>927</b>
6.3424	VOVOX sonorus	muco	300 cm **	9.9 ft **	DB25	DB25	<b>915</b>	<b>1089</b>
6.3425	VOVOX sonorus	muco	300 cm **	9.9 ft **	DB25	4xXLRf/4xXLRm	<b>969</b>	<b>1153</b>
<b>LAN Cables</b>								
<b>VOVOX sonorus LAN (CAT 6.1, shielded)</b>								
6.8801	VOVOX sonorus	LAN	100 cm	3.3 ft	RJ45	RJ45	<b>245</b>	<b>292</b>
6.8802	VOVOX sonorus	LAN	200 cm	6.6 ft	RJ45	RJ45	<b>275</b>	<b>327</b>
6.8803	VOVOX sonorus	LAN	350 cm	11.5 ft	RJ45	RJ45	<b>319</b>	<b>380</b>

Fortsetzung folgt auf Seite 5

**VOVOX® Pro Audio**
**Stand 01-2022**

Item	Series	Type	Length (cm/ft)		Plug Input	Plug Output	SRP/UVF EUR excl. VAT/MwSt.	SRP/UVF EUR incl. 19% VAT/MwSt.
<b>VOVOX Pro Audio Digital Cables</b>								
<b>LAN Cables</b>								
<b>VOVOX excelsus LAN (CAT 6.1, shielded)</b>								
6.8501	VOVOX excelsus	LAN	100 cm	3.3 ft	RJ45	RJ45	<b>329</b>	<b>392</b>
6.8502	VOVOX excelsus	LAN	200 cm	6.6 ft	RJ45	RJ45	<b>379</b>	<b>451</b>
6.8503	VOVOX excelsus	LAN	350 cm	11.5 ft	RJ45	RJ45	<b>449</b>	<b>534</b>
<b>VOVOX Pro Audio Power Supply</b>								
<b>Power Cables</b>								
<b>VOVOX sonorus power (power cord 230V for stationary audio equipment)</b>								
4.8601	VOVOX sonorus	power	100 cm	3.3 ft	SchuKo	IEC	<b>225</b>	<b>268</b>
4.8602	VOVOX sonorus	power	180 cm	5.9 ft	SchuKo	IEC	<b>289</b>	<b>344</b>
4.8603	VOVOX sonorus	power	100 cm	3.3 ft	US	IEC	<b>225</b>	<b>268</b>
4.8604	VOVOX sonorus	power	180 cm	5.9 ft	US	IEC	<b>289</b>	<b>344</b>
<b>VOVOX excelsus power (power cord 230V for stationary audio equipment)</b>								
4.8301	VOVOX excelsus	power	100 cm	3.3 ft	SchuKo	IEC	<b>319</b>	<b>380</b>
4.8302	VOVOX excelsus	power	180 cm	5.9 ft	SchuKo	IEC	<b>389</b>	<b>463</b>
4.8303	VOVOX excelsus	power	100 cm	3.3 ft	US	IEC	<b>319</b>	<b>380</b>
4.8304	VOVOX excelsus	power	180 cm	5.9 ft	US	IEC	<b>389</b>	<b>463</b>

\* stereo pair / \*\* bi-directional